



Tom Barrett  
Mayor

Bevan K. Baker, FACHE  
Commissioner of Health

Sandra J. Rotar  
Health Operations Administrator

## Health Department

[www.milwaukee.gov/health](http://www.milwaukee.gov/health)

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

## Routine Food

Brown Deer WI 5422 Inc.  
IHOP5422  
8101 W Brown Deer Rd  
Milwaukee, WI

**3/10/2016**

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

**Fee Amount:**  
**\$107.00**

### CDC Risk Code Factor Violation(s)

Code Number	Description of Violation	Correct By
CDC Risk Violation(s):	0	

### Good Retail Practice Violations(s)

Code Number	Description of Violation	Correct By
3-304.14	Wiping cloths were left out on the food prep line. Store wiping cloths in a sanitizing solution between use.	3/10/2016
3-501.16	A) Eggs were in a bucket on the line stored at 61F. B) Sundae toppings were stored at 48F C) Cooler at the end of prep line was holding at 50F. D) Cooler on line adjacent to the handwash sink was holding at 46F and 47F. Potentially hazardous food must be held cold at 41 degrees or below. REPEAT VIOLATION	3/10/2016
3-501.18	Hollandaise sauce was marked 3/7. Potentially hazardous food must be discarded if the container is not properly date marked or has exceeded the time allowed. Discard. COS REPEAT VIOLATION	3/10/2016
4-501.11	Leak in drainboard of warewash machine. Repair	3/24/2016
4-601.11	A) Waffle iron is blackened from build up of grease. B) Shake mixer has milk residue on wands and at wand port. All food contact equipment and utensils must be clean..	3/10/2016



Tom Barrett  
Mayor

Bevan K. Baker, FACHE  
Commissioner of Health

Sandra J. Rotar  
Health Operations Administrator

## Health Department

[www.milwaukee.gov/health](http://www.milwaukee.gov/health)

Frank P. Zeidler Municipal Building, 841 North Broadway, 3rd Floor, Milwaukee, WI 53202-3653 phone (414) 286-3521 fax (414) 286-5990

4-903.11	Equipment, Utensils, Linens, and Single-Service and Single-Use Articles. Utensils were being stored with the food contact surface upward. Store utensils with the food contact surface inverted to avoid contamination. COS	3/10/2016
5-205.11	Tray was stored in handsink at the line. Handsink was not available for use. Make sure the handsink is always available.	3/10/2016
6-301.12	No Towels available at line handsink. single service toweling for all handsinks.	3/10/2016

**Good Practice Violation(s):** 8

**Total Violations:** 8

### Notes:

CFM David King 2/21/17  
FdL ok

On 3/10/2016, I served these orders upon Brown Deer WI 5422 Inc. by leaving this report with

Inspector Signature (Inspector ID:114)

Est. # 827052

Operator Signature

Page 2 of 2